



#### **2020 LINEUP**

#### DELUXE



#### **POLARIS GENERAL 1000 DELUXE**

FOX PODIUM X 2.0 QS3 SHOCK SPORT ROOF MTX PREMTUM SOUNDBAF CONVEX REAR VIEW MIRROR

#### **PREMIUM**



#### POLARIS GENERAL 1000 PREMIUM

AUTOMOTIVE PAINT MATTE BLACK CAST ALUMINUM WHEELS SPORT LOW PROFILE FRONT BUMPER

#### BASE



#### **POLARIS GENERAL 1000**

.00 HP PROSTAR ENGINE 272 kg DUMPING BOX TANDARD HALF DOORS LECTRONIC POWER STEERING (EPS POLARIS LOCK & RIDE COMPATIBLE

#### 4-SEAT



#### POLARIS GENERAL 4 1000


MATTE BLACK CAST ALUMINUM WHEELS 68.68 cm DIRT COMMANDER 8-PLY TIRES FOX® PODIUM 2.0 QS3 SHOCKS SPORT LOW PROFILE FRONT BUMPER POLARIS HD 2041 kg WINCH

#### CONTENTS

ACCESSORIES	08
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	16
POLARIS NORTHSTAR COOLERS	18
RIDE COMMAND & AUDIO	20
LIGHTING	22
WHEELS & TIRES	24
WINCHES	30
PLOWS & TRACKS	31

PARTS & GARAGE	32
OIL & LUBRICANTS	32
MAINTENANCE	34
HD PARTS	38
SERVICE PARTS	40
BATTERY & LIFTS	42
GARAGE & TRAILERING	44


APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



## **KEEP YOUR** STANDARDS

HIGH. WE DO.







WE HOLD OUR PARTNERS TO THE SAME STANDARDS





A GLOBAL LEADER IN AUDIO INNOVATION,



PRODUCTS SO GOOD THEY REPLACE



MAKING PRODUCTS FOR AVID



## **ENGINEERED TO TAKE ON**

THE ELEMENTS

## TESTED & PROVEN

**POLARIS GENERAL CABS PROVIDE** THE INDUSTRY'S TIGHTEST SEAL

BETTER DUST SEAL

BUILD YOUR CAB SYSTEM STARTING ON P. 08



Our cab components create an experience enhancing interior, offering supreme comfort to

#### PROFILE TUBE DESIGN

Contours built into the cage deliver the best sealing surface in the industry.



A 360° gasket seal provides the tightest-sealing cab in the industry.



#### LOCK & RIDE

EASY ON 8 OFF

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



PLUG & PLAY **ELECTRICAL** 


EFFORTLESSLY ADD LIGHTS, HEAT, WIPERS & AUDIO.

A revolution in electrical accessory integration, the Polaris PULSE Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for Males to identify Polaris PULSE ready accessories.








Vented Windshield: P. 08 Hard Coat Poly Sport Poly - Roof: P. 12

XL Fender Flares: P. 13 NOTSHOWN

LOCK & RIDE Cargo Box: P. 15

RIGID® SR-Series Combo Light Bar: P. 22

Pro Armor Wheel & Tire Set: P. 29 29" Mud XC & 14" Shackle - Matte Black Winch: P. 30



Flip-Down Windshield: P. 08 Hard Coat Poly

Premium Poly Front & Rear Doors: P. 10 Sport Upper Front Bumper: P. 13

Pro Armor 76.2 cm Combo Light Bar: P. 23
Pro Armor Wheel & Tire Set: P. 29
Attack 2.0 & Halo Matte Black
Polaris Pro HD 2041 kg Winch: P. 30

### POLARIS GENERAL

#### THE RIGHT GEAR ALWAYS MATTERS

EXF	PERIEN	ICE OF	F-RO	AD L	UXURY

Windshield & Rear Panel	P. U8
□ Doors	P. 10
□ Roof	P. 12
□ Cab Comfort	P. 16

#### **NEXT LEVEL VERSATILITY**

□ Storage	P. 14
☐ Lighting	P. 21
□ Wheels & Tires	P. 24
$\square$ Winches	P. 3

## THE RIGHT STUFF TO MAINTAIN YOUR POLARIS GENERAL

🗌 Oil & Lubricants	P. 3.
☐ Maintenance	P. 3

#### **EVERYTHING YOU NEED TO GEAR UP**

□ Apparel	P. 46
□ Helmets	P. 48

## WINDSHIELDS

• Curved to fit, seals tight

• Wiper ready (windshield only)

· Cold weather/ Heavy duty

Keep the elements out and control air flow into the cab.

Poly

Scratch resistant

## GLASS 🛂 POLY

- Superior optical clarity · Lightweight, flexible,
  - easy to store/remove Impact-resistant
  - · Tight seal keeps out rain and dust
  - Hard Coat: 30x more scratch resistance

than regular poly windshields



#### **GLASS** HARD COAT POLY



#### TIP-OUT WINDSHIELD -GLASS

» 2881108

#### FULL WINDSHIELD -

GLASS TOP SELLER

» 2881109

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



VENTED WINDSHIELD

- HARD COAT POLY



» 2882174

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



The three-position adjustment

system easily opens, providing

in-cab ventilation.

WINDSHIELD WIPER & WASHER SYSTEM TOPS » 2881090



» 2884223



### \_NEW\_ LOCK & RIDE FULL WINDSHIELD -HALF WINDSHIELD -HARD COAT POLY » 2881111 POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

POLY

#### Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.

# GENERAL

## REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.





» 2881113

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



**REAR PANEL - POLY** 

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



09

**DOORS** 

**COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with** 

half doors. To create an enclosed cab for increased protection



#### PREMIUM POLY **FULL DOORS**

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- · Soft-touch, easy to clean premium interior liner

#### 2-SEAT

Six-way glass window adjustability

» 2883717 POLARIS GENERAL 4 1000 '17-20

#### 4-SEAT

- Push-out windows
- · Kit includes B-pillar cover seal
- » 2883082

POLARIS GENERAL 4 1000 '17-20

#### **ZIP WINDOW UPPER DOORS**

- Durable, rugged canvas stitched over a robust steel frame
- · Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

#### 2-SEAT

POLARIS GENERAL 1000 '18-20

» 2882548

4-SEAT

» 2883453

NOT SHOWN

POLARIS GENERAL 4 1000 '18-20





PREMIUM INTERIOR HANDLE AND LINER



A PERFECT FIT FOR THE PERFECT SEAL

VEHICLE & RIDER PROTECTION

Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



## 4-SEAT

• Pre-Existing Mounting Features

POLARIS ENGINEERED™

ADVANTAGES

POLY

Water Run-Off

· Liner Ready

Lightweight

MOISTURE

MOVING

**ALUMINUM** 

Lower Profile

Sleek Style

· High Protection Strength

#### PREMIUM ROOF - POLY

» 2883801

POLARIS GENERAL 4 1000 '17-20



INCLUDES PREMIUM ROOF LINER

#### SPORT ROOF - POLY

» 2883781

POLARIS GENERAL 4 1000 '17-20

#### \_N=W\_

POLY ROOF LINER

83802

POLARIS GENERAL 4 1000 '17-20 Compatible with Sport Roof - Poly (2883781), sold separately

#### FRONT BUMPERS

#### SPORT LOW PROFILE

» 2881094 POLARIS GENERAL 4 1000 '17-20,

POLARIS GENERAL 1000 '16-20

#### **■ SPORT UPPER**

» 2881525

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Requires Sport Low Profile Front Bumper

## HMW A-ARM GUARDS MOTSHOWN

#### FRONT » 2880274

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

#### REAR

» 2880171

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

## FENDER FLARES NOT SHOWN

#### XL NI=W FALL AVAILABILITY

» 2884220

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

## 17

#### LOW PROFILE

\_\_\_\_\_

ROCK

**SLIDERS** 

» 2881102 POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

#### EXTREME KICK-OUT

» 2-SEAT • 2881101

POLARIS GENERAL 1000 '16-20

» 4-SEAT • 2881992

LARIS GENERAL 4 1000 '17-20



#### **EXPANSION ANCHOR MOUNTS**

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.



REAR

SPORT

» 2884345

**BUMPERS** 

12

ROOFS

Protect yourself from the elements. The right roof

shields you from the sun and driving rain.

A PERFECT

**FIT FOR THE** 

PERFECT

SEAL

2-SEAT

**ROOF - ALUMINUM** 

POLARIS GENERAL 1000 '16-20

PREMIUM ROOF - POLY

POLARIS GENERAL 1000 '16-20

SPORT ROOF - POLY

POLARIS GENERAL 1000 '16-20

INCLUDES

PREMIUM

ROOF LINER

» 2881105

» 2883800

**PREMIUM** 

**FEATURES** 

& QUIETER

RIDE







#### BEHIND SEAT STORAGE BAG

#### » 2882164

SPARE TIRE CARRIER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» 2881529

POLARIS GENERAL 4 1000 '20, POLARIS GENERAL 1000 '16-20

## IN-DASH STORAGE BAG

#### » 2882165

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





#### LOCK & RIDE CARGO BOX

#### » 2881527

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Includes all mounting hardware for secure installation

#### LOCK & RIDE D-RINGS

#### » 2881545

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

### NOTSHOWN FIRE EXTINGUISHER HOLDER

#### » 2882158

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Fits most 8.25 cm fire extinguishers (not included)









POLARIS ENGINEERED™

ADVANTAGES

**EASILY** RECONFIGURE **FOR ANY TASK OR ANY TRAIL** 



## CAB COMFORT



PULSE

8-VENT HEATER & DEFROST SYSTEM

» 2881316

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



PULSE

WINDSHIELD WIPER & WASHER SYSTEM TOPSELLER

» 288109

POLARIS GENERAL 4 1000 '17-20,



#### FLOOR MATS

2881934

POLARIS GENERAL 4 1000 '17-20,







Red light is great for reading maps

Green light is perfect for navigating in the dark

Blue light is ideal for

PULSE Gerial Spring

#### **MULTI-FUNCTION CAB LIGHT**

 LED dome light provides white, red, green and blue lighting options  Battery-operated, recharges when vehicle is on  Remove to use as flashlight in and around vehicle

» 2884047

POLARIS GENERAL 4 1000 '19-20, POLARIS GENERAL 1000 '19-20



PUILSE

#### POLARIS PULSE LED LIGHT BAR HARNESS

- · Required to easily add electric components
- » 288378

POLARIS GENERAL 4 1000 '19-20, POLARIS GENERAL 1000 '19-20



## HUNT



PROTECT THE GEAR YOU NEED. LIVE THE LIFE YOU LOVE.

CENERAL SERVICES

KOLPIN RHINO GRIPS® IDEAL FOR BOWS & UNCASED GUNS

#### KOLPIN STRONGHOLD® CASES



KOLPIN STRONGHOLD" GUN BOOTS

» XL TRANSPORT • 2882430\* POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 » L IMPACT • 2882426\*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



KOLPIN STRONGHOLD®
ICE ROD BOOT

» 2882428\*

POLARIS GENERAL 4 1000 '17-20,



KOLPIN STRONGHOLD ICE AUGER/ POP-UP BLIND BOOT

» 2882427\*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

RHINO GRIP' PRO

**RATCHETING** 

» 2881575

» 2884107

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

POLARIS GENERAL 4 1000 '17-20.

POLARIS GENERAL 1000 '16-20



RHINO GRIP® RHINO GRIP® XL

» 2881574

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

POLARIS GENERAL 1000 '16-20



» 2884108 POLARIS GENERAL 4 1000 '17-20.

о,

» 2881621
POLARIS GENERAL 4 1000

RHINO GRIP<sup>®</sup> XL REPLACEMENT

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

3 Browning

We would like to thank our partners Browning" and

Mathews" for helping to deliver a successful and


safe off-road experience when out in the field.

LOCK & RIDE

RHINO GRIP® PRO RUBBER STRAPS

» 2884109

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



\*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

1

17



## GRIZZLY TESTED. POLARIS APPROVED.



This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.





















99 LITER

» GRAPHITE • 2883426 » DESERT • 2883392



**57 LITER** 

- » GRAPHITE 2883425
- » DESERT 2881259



28 LITER

» GRAPHITE • 2883424 » DESERT • 2881315



14 LITER

» GRAPHITE • 2883968



19 LITER SOFTSIDE

» GRAPHITE • 2883390

#### ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSORIES	99 LITER	57 LITER	28 LITER	DON'T FOR	GET THESE ACCESSORIES	
	2883648	2882185	2882438	O POLICE		
DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER  1 way to partition	2882184 COMES WITH TWO DIVIDERS  2 ways to partition	2882186 COMES WITH ONE DIVIDER  1 way to partition	TUMBLERS QUI  » 887 mL • 2883394 » 288  » 591 ml • 2883393 ALL	ICKSTRAP  BOTTLE OPEN  32187  COOLERS AND POLARIS LERAL CARGO BOXES  BOTTLE OPEN  >> 2882183  ALL COOLERS	NER_
SEAT CUSHION	NOT AVAILABLE	2882179	2882507	GEN	TENAL CANOO BOAES	
WHEELS	2883967	2882180	NOT AVAILABLE			

## RIDECOMMAND®





AUDIO

NO LOSS OF CARGO SPACE





**BLUETOOTH®** 

An industry first. A true factory

installed integrated off-road audio system. Rockford Fosgate® partnered with Polaris to build

the loudest, highest performing system the industry has ever heard. Specifically tuned and rider-centric to create a class leading audio experience that is

second to none.

#### VIIISE Uses Septem

#### STAGE 1 AUDIO KIT BY ROCKFORD FOSGATE®

- Head Unit and Front Coaxial Speakers
- 6.86 cm full color display with AM/FM/WB tuner, Pandora Control and Bluetooth® Connectivity
- · 50 Watt 16.51 cm coaxial speakers with enclosures and
- Head Unit and Speakers are designed Element Ready

POLARIS GENERAL 4 1000 '20

#### RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible in • Dedicated shortcut buttons for
- · Displays critical vehicle information Bluetooth\* and USB smart battery voltage
- Media player w/ built in AM/FM tuner

Enhanced Group Ride capability to

POLARIS GENERAL 4 1000 '17-20,

POLARIS GENERAL 1000 '16-20

» 2884072

- quick access to features
  - Front camera support for better

REVOLUTIONIZING THE OFF-ROAD

EXPERIENCE

#### FALL AVATLARTITY

ANEW.

- POLARIS GENERAL 1000 '20

· Includes front camera

RIDE COMMAND MOUNT KIT

» WITH RIDE COMMAND

· Mount Ride Command seamlessly into the dash for perfect fit & finish

· Comes with wiring harnesses needed and accessory components

- POLARIS GENERAL 4 1000 '17-19,
- » WITHOUT RIDE COMMAND MTX\* SOUNDBAR
- POLARIS GENERAL 4 1000 '17-19, POLARIS GENERAL 1000 '16-19

#### \*DOWNLOAD THE RIDE COMMAND MOBILE APP







#### MTX® PREMIUM SOUNDBAR

- · Fully-sealed, injection-molded enclosure with marine-grade components
- 8 Speakers, 100-Watt
- Bluetooth" connections
- Compatible with 2883803 Ride Command MTX\* Soundbar with Mount Kit

POLARIS GENERAL 4 1000 '17-19

**RAW LUMENS** 

#### POLARIS ENGINEERED™ **ADVANTAGES**

#### **MOUNTS PERFECTLY**

Designed for your Polaris Engineered bumper, roof or other mounting point

#### **MAX PERFORMANCE**

Validated to work as hard as your machine does

#### **DOESN'T OVERTAX**

Trust it to work when you need it to

## PRO ARMOR.

#### **ADVANCED** TECH

RIGID® lights are driven by Aluminum PCB Smart Boards®, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

#### **EXCLUSIVE** OPTICS

RIGID® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### LIGHT BAR TYPES



#### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm



#### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

#### RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



#### **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



#### **SINGLE-ROW LED LIGHT BARS**

Powerful, compact, low-profile light bars with sleek look.


Available in 27.9 cm, 83.8 cm & 101.6 cm



#### **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot


#### LIGHT BAR OPTIONS












.3 cm	25.4 cm	101.6 cm SINGLE-ROW	83.8 cm		
20,064	7,920	7,560	6,300	13,680	8,820
2884299	2883123	2882763	2882077	2882074	2883107

#### **BUILD YOUR** VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.





#### ADD A HARNESS TO MOUNT YOUR LIGHTS

		LIGHT BAR SET-UPS	
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES
<b>2019-2020</b> All Models	POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785

⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

■ All RIGIO" and Pro Armor lights are Polaris PULSE ready.

#### **ACCENT LIGHTING**



COLOR	PN	
RED (SET OF 4)	2880500	
BLUE (SET OF 4)	2880506	

PROARMOR.



Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

#### TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

## 8 or 10-PLY

- · Pro Armor builds the toughest tires
- · Higher ply ratings mean added protection

#### INNOVATION

#### **DUAL DUROMETER LUGS** (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- · Soft durometer rubber on top of lug for sticky grip

#### **DUAL COMPOUND TREAD** (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- · Soft durometer rubber on shoulders of tread for superior grip

## km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of 4,828 kilometersand beyond, you are assured long life and performance.

#### KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

TREAD DEPTH means more grip in

A lighter tire makes for improved vehicle puncture-resistance

Indicates tire

SIDEWALL BELTS resistance to sidewall punctures

TIRE: DUAL-THREAT

Tires with higher handle more weight

WHEEL: BUCKLE ACCENT

#### KNOW YOUR TERRAIN





deal for both hard pack

RATING

BELTS

3

**517** kg







**PRO ARMOR CRAWLER XR** 

· Wanna race? This tire grips it all from the trail to the rocks

· A tougher durometer than the XG to take on the toughest

· Square block profile for even surface contact



- Flexible "grippy" tread
- Aggressive side bite

FRONT / REAR



#### XR SINGLE DUROMETER

when cornering

Smaller lug height, added rigidity and lateral stability

Unique lug design excels in hard-packed, fast terrain



## RDCK DESERT TRAIL

#### **PRO ARMOR CRAWLER XG**

- · Big or small, these tires crawl them all
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
15"	28" × 10" R15	FRONT/ REAR	20mm	15 kg	8	3	503 kg	

#### **CRAWLER** FRONT / REAR **ARE YOU?**

- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" × 10" R15</b> 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg

#### XG DUAL-DUROMETER

Taller lug height

• Perfect balance between high-speed performance, durability and flex in order to grip slick rock

## BACKCOUNTRY/TRAIL

## MUD

#### **PRO ARMOR MUD XC**

- · Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- · Dual-compound technology with harder durometer lugs promote
- 10-ply construction, means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>29" × 10" R14</b> 5416946	FRONT/ REAR		18 kg			630 kg
14"	<b>27" × 9" R14</b> 5416947	FRONT	30mm	14 kg	10	3	531 kg
14"	<b>27" * 11" R14</b> 5416948	REAR		15 kg			599 kg

#### FRONT



## BACKCOUNTRY/TRAIL



#### PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction offer performance
- Softer durometer rubber on outer edge for overall superior grip and feel
- · Harder durometer rubber in the middle for increased traction during

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5416340	FRONT	<b>16</b> mm	12 kg		3	413 kg
14"	<b>26" × 11" R14</b> 5416341	REAR		14 kg	10		503 kg
14"	<b>29" × 9" R14</b> 5416342	FRONT		14 kg			503 kg
14"	<b>29" × 11" R14</b> 5416343	REAR		16 kg			599 kg

**DUAL-COMPOUND = MORE GRIP + LONGER LIFE** 





#### FRONT / REAR

#### **PRO ARMOR ATTACK 2.0**

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer
- Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15" 15"	<b>28" × 10" R15</b> 5416344	FRONT/ REAR	25mm	15 kg	10	3	503 kg

ATTACK 2.0 ATTACK

**TIGHTER TREAD PATTERN =** Better traction in hard pack

**DUAL-DUROMETER LUG =** Increased grip & traction in rough terrain, smoother

Increased durability

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction

WHEEL SIZE



#### **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5415613	FRONT	22	13 kg	_	_	413 kg
14"	<b>26" * 11" R14</b> 5415614	REAR	23mm	15 kg	8	3	599 kg



## UTILITY



- Industry leading anti-puncture side walls · Purpose-built, long lasting tread patterns

IIAKULUILK	I ILLUZIATOL	AD K
Х	Х	
X		X
X	X	
		X
28", 27", 26"	27", 26"	26"
	X X X	X X X X X X X



#### **PRO ARMOR HARVESTER**

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- · With 10-Ply it can carry the load day-in and day-out

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" × 8" R12</b> 5416396	FRONT		11 kg		3	388 kg
12"	<b>26" × 10" R12</b> 5415966	REAR	16	15 kg	10		<b>615</b> kg
14"	<b>27" × 10" R14</b> 5415965	FRONT/ REAR	10mm	15 kg	10	3	599 kg
14"	<b>28" × 10" R14</b> 5416347	FRONT/ REAR		15 kg			630 kg



FRONT / REAR

#### **PRO ARMOR PRESERVE**

- · Turf-friendly for areas where low-impact tire tread is needed
- · Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" × 8" R12</b> 5416403	FRONT		11 kg			388 kg
12"	<b>26" × 10" R12</b> 5416402	REAR	16 <sub>mm</sub>	13 kg	10	3	599 kg
14"	<b>27" × 10" R14</b> 5416348	FRONT/ REAR		13 kg			599 kg







#### PRO ARMOR XD-K

- · 26" Aramid fiber-belted tire to tackle any terrain
- · Unique full-face tread design
- · Harder durometer lugs promotes for extended wear increasing tire life

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" × 9" R12</b> 5415756	FRONT	01.7	13 kg	10	3/1 Aramid	388 kg
12"	<b>26" × 11" R12</b> 5415757	REAR	31.7 <sub>mm</sub>	15 kg			499 kg





## WHEELS



















## 15"

#### AMPLIFY 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

REAR 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458 14" × 8" 1522957-458

#### BUCKLE O

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522544-266 14" × 8" 1522545-266 MATTE BLACK: FRONT 14" × 7" 1522544-458 14" × 8" 1522545-458

#### © COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

#### 14" FORGED BEADLOCK RINGS

	uniy useu un reber	PARI **
A	Voodoo Blue	1522244-619
₿	Machined	1522244-26
<b>©</b>	White	1522244-133
<b>©</b>	Indy Red	1522244-293
€	Orange Crush	1522244-589
F	Matte Black - Replacement	1523146-458

#### 15" FORGED BEADLOCK RINGS

Matte Black -1523147-458

#### REBLR O (REQUIRES BEADLOCK RINGS)

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9 REAR 14" × 8" 1522239-458

#### **⑤** SHACKLE ○

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522546-266 RFAR 14" × 8" 1522547-266 MATTE BLACK: FRONT 14" × 7" 1522546-458 14" × 8" 1522547-458 RFAR

#### SIXR 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14" × 7" 1521507-521 14" × 8" 1521508-521 FRONT 14" × 7" 1521507-410

#### SPLIT 0

FRONT WEIGHT: 4.3 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 4.9 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 6" 1522542-458 14" × 8" 1522543-458

14" × 8" 1521508-410

#### **©** CYCLONE

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

FRONT/REAR 15" × 7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

#### ■ HALO (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 **ACCENT:** FRONT/REAR 15" × 7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

#### WYDE 0

FRONT/REAR

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55 FRONT/REAR 15" × 7" 1522550-266 MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

#### FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

**ACCENT:** FRONT/REAR 15" × 7" 1523102-266

MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

#### • HEXLR • (REQUIRES BEADLOCK RINGS)

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 FRONT/REAR 15" × 7" 1522435-458

O LUG NUTS REQUIRED

#### **KNOW YOUR TERRAIN**








## WHEEL & TIRE SETS

77/111	BACK COL	JNTRY / TI	RAIL	MUD		UTILITY			ROCK
14"	ATTACK 26" 4828 km	<b>DUAL-THREAT</b> <b>26</b> " 4828 km	DUAL-THREAT 29" 4828 km	MUD XC 29" 4828 km	MUD XC 27" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY Accent	2882390	2883138	2883146	2884265	2884272	2883208	2882388	2883225	2882394
AMPLIFY O Matte Black	2882391	2883139	2883147	2884266	2884273	2883209	2882389	2883226	2882395
BUCKLE Accent	2881335	2883140	2883148	2884260	2884267	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2883141	2883149	2884261	2884268	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED		2883217	2883219						2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED		2883216	2883218						2883212
REBLR Matte Black BEADLOCKS SOLD SEPARATELY	2881381								2881386
SHACKLE Accent	2881347	2883142	2883150	2884263	2884270	2883205	2882385	2883222	2881355
SHACKLE Matte Black	2881348	2883143	2883151	2884264	2884271	2883206	2882386	2883223	2881356
SIXR C	2881359								2881371
SIXR Matte Black	2881360	2883144	2883152	2884262	2884269	2883207	2882387	2883224	2881372
SPLIT O Matte Black	2883145								



MATTE BLACK PRO ARMOR 5453209-410 LUSTER AMPLIFY, BUCKLE, COMBAT, CYCLONE FLARE, HALO, REBLR, 5453209-458 MATTE SHACKLE, SIXR BLACK MATTE 1523063-458 WYDE BLACK 1523015-410 LUSTER THRASHER, HEXLR 1523015-458 BLACK O LUG NUTS REQUIRED

**POLARIS** 

RI ACK

LUSTER


IIISTER AMPLIEY BUCKLE

FLARE HALO REBLR

SHACKLE, SIXR



MAYS TO





1521509-410

1521509-521

1522243-410

**COLBY VALVE SHORT** ULTIMATE VALVE - 2 PACK

INDIVIDUAL WHEELS & TIRES

COMPLETE SETS AS LISTED

**Exclusively at Polaris Authorized Dealers** 

» 2883293



COLBY COMBO VALVE KIT (16 PACK)

- Includes 8 ultimate valves and 8 emergency valves
- » 2883294

## PLOWS & TRACKS

**\*GLACIER**\*問

PLOW SYSTEM

**GLACIER® PRO HD GIVES YOU** » 183 cm or 168 cm Blades

» Choice of poly or steel » Manual angle system standard



				E <b>m steel blade</b> Ig Jobs year after year	
CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCH	BLADES	ACCESSORIES
POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20	2881763	2880260 TOP SELLER	Polaris PRO HD 2041 kg Winch 2883861  POLARIS GENERAL 4 1000 '19  Polaris PRO HD 2041 kg Winch 2882239  POLARIS GENERAL 4 1000 '17-18  POLARIS GENERAL 4 1000 '17-18  NEW Hydraulic Plow Angle 2884127  POLARIS GENERAL 4 1000 '17-18  POLARIS GENERAL 1000 '16-18  NEW Hydraulic Plow Controller	183 cm Steel 2880270 168 cm Poly 2880269 168 cm Steel 2880268	183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 NEW Heavy Duty Deflector 2884160

POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18



#### **GLACIER® HD GIVES YOU**

»168 cm Blades »Choice of poly or steel »Manual angle system standard



**DURABLE BLADES** Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade

that's easier on plowing surfaces.

CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES
POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20	2883256	2882927	Polaris HD 2041 kg Winch 2883860 POLARIS GENERAL 4 1000 '19 POLARIS GENERAL 1000 '19 Polaris HD 2041 kg Winch 2881099 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18	<b>168 cm Poly</b> 2880269 <b>168 cm Steel</b> 2880268	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Replacement T Shear Pin 2204829

PROSPECTOR PRO® TRACK MOUNTS

· Install in place of tires and wheels. Tracks sold separately.

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» 2880649



**POLARIS GENERAL 4 1000** '19-20 POLARIS GENERAL 1000 '19-20

MODEL

WINCHES

**FEATURES** 

ALL POLARIS ENGINEERED

**WINCHES COME WITH:** 

RAPID ROPE RECOVERY

2. Set Dial to PULL (L) for Winch Mode 3. Set Dial to ROPE RECOVERY (H)

**AUTO STOP TECHNOLOGY** 

Stops winch at end of pull to prevent driveline stress and plow overlifting

PREMIUM SYNTHETIC ROPE

WIRELESS REMOTE

15 m range wireless remote control

with unique code for interference-

• Lightweight & Easy to Handle

· Superior Flexibility & Strength

1. Set Dial to FREE SPOOL (N)

TESTED **1,200+** PULLS AT MAX LOAD

OPERATES FULLY SUBMERGED

**BUILT TO WITHSTAND** 

PRO HEAVY DUTY SERIES

-29°C TEMPERATURES

**HOOK WITH STRAP** 

WITH ALUMINUM FAIRLEAD

ADD WIRELESS REMOTE 2881287

2041 kg

2883861

2883860

MILITARY TESTED & APPROVED

HEAVY DUTY SERIES

NOT AVAILABLE

ADD AUTO STOP UPGRADE

2881288

SYNTHETIC ROPE REQUIRED

WITH STEEL ROLLER FAIRLEAD

ADD SYNTHETIC ROPE

2879187

**FAST WIRE CONNECTION TO POLARIS PULSE SYSTEM** 

**CUT STEEL GEARS & SEALED DRIVETRAIN SEALED PERMANENT MAGNET MOTOR** 

2041 kg

PROSPECTOR PRO® TRACK

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

**PS-4 EXTREME-DUTY** 

FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C

» 1L • 2879037

» 4L·2879251

» 25 L • 2879252

» 60 L • 2879003

» 200 L • 2879038

## SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

#### PS-4 FULL-SYNTHETIC OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 38° C
- » 1L 2877263
- » 4L 2877264
- » 25 L 2877868
- » 60 L 502338 » 200 L • 2878003

#### **PS-4 OIL CHANGE KIT**

- · Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166
- SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- » 2879323
- RANGER/RZR 900/1000 » 2880913
- POLARIS ACE/ETX 325
- » 2877473
- 330500, SPORTSMAN 550/850/1000



ENGINEERED LUBRICANTS

#### FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

#### WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

#### **ENGINE CHECKPOINTS**

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

#### **OIL DEVELOPMENT**



FOCUSED ON **POLARIS OIL** 



& TESTING

75<u>,00</u>0+ HOURS

64.374

DYNO **TESTING** 

**KILOMETERS FIELD TESTING** 

#### **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.

#### **DOT 4 BRAKE FLUID**

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking,

» 250 mL • 502081

#### **ANTI-FREEZE**

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components. eliminate scaling, and maximize cooling system performance.

- » 1 L 502103
- » 25 L 502271
- » 206 L 502091

#### AGL

A proprietary blend of additives designed to optimize Polaris® ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

#### **DEMAND DRIVE FLUID**

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and . promote positive engagement.

- » 1 L 502094
- 200 L 502264
- 25 L 502267

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



#### CARBON CLEAN

Polaris Carbon Clear

» 125 mL • 502082



#### FUEL STABILIZER

ethanol corrosion and stabilizes fuel for up to antioxidant formula protects against gum starting

» 125 ml • 502100



## ANGLE DRIVE FLUID

- » 1 L 502089
- » 202 L 502266



PREMIUM GAS SHOCK OIL

» 1 L • 502098



ALL-SEASON GREASE TUBE

» 400 g • 502068

#### POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

#### MAINTENANCE TTP

#### **BREAK-IN PERIOD**

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

#### **AIR FILTERS**

FOR THE LIFE OF YOUR RIDE

reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

#### **BRAKE PADS**

If the brake pads are contaminated with oils or grease (petroleum products), brake

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

#### HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the inint. This usually occurs if the CV boot becomes compromised. Full replacement

Critical to engine performance and

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warning.

pads have to be discarded and replaced.

or part specific available.

#### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

#### BREAK-IN PERIOD

- · Use lower gear (if available) while varying speeds and avoiding wide open
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development
- (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### **VOUR ADVANTAGE**

- · No clutch recalibration
- · Less wear & tear due to heat
- · Ensure maximum vehicle performance
- · More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

#### **BATTERIES**

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer\* Be sure to check for corrosion from the terminals to the ends of the cables.

#### OIL FILTERS

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

#### MAINTENANCE SCHEDULE

25 HRS/400 km

#### **BREAK-IN MAINTENANCE**

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **AIR FILTER:** INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 50 HRS/800 km

## **MONTHS**

#### **EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

## **MONTHS**

100 HRS/1600 km

ENGINE OIL:

CHANGE

DRIVE BELT:

INSPECT & ADJUST REPLACE AS NEEDED

> **TRANSMISSION** FLUID: CHANGE

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

## MONTHS

ENGINE OIL: CHANGE

150 HRS/2400 km

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

#### **EXHAUST SYSTEM: INSPECT & CLEAN**

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

## MONTHS

200 HRS/3200 km

**ENGINE OIL:** CHANGE

**BRAKE PADS** & FLUID: INSPECT & CLEAN

> SPARK PLUGS: INSPECT REPLACE AS NEEDED

REPLACE AS NEEDED

**EXHAUST SYSTEM: INSPECT & CLEAN** 

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR MONTHS

ENGINE OIL: CHANGE

350 HRS/4020 km

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR 500 HRS/8045 km **MONTHS** 

> **ENGINE OIL:** CHANGE

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT: CHECK LEVEL **REPLACE EVERY 2 YEARS** 


**GEARCASES:** CHECK OIL LEVEL

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED **SERVICE ITEMS** AND VEHICLE-**SPECIFIC TIMING** 

E E AVY DUTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavyduty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.









MUD



COLD


DOWN TO -40° C



EXTREME HEAT



HEAVY PAYLOADS



EXTENDED LIFE

#### SUSPENSION BOOTS'

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

#### BRAKE PADS\*

- Longer wear life
- Improved braking in wet & muddy conditions

#### WHEEL BEARINGS\*

- Utilizes a triple lip seal for improved protection against mud and debris
- Longer life between service and replacement
- Specifically designed for Polaris vehicles

#### TIRES\*

- · Increased tread life
- Material and design for enhanced puncture resistance

## LUBRICANTS\*

- High-temperature engine protection
- Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

#### **BATTERIES**\*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- Larger Capacity
   Measured in Ah (Ampere Hours)
   HD batteries store more energy
- Higher Output
   Measured in CCA (Cold Cranking Amps)
   HD batteries deliver more power when
   starting and power more auxiliary items

## SERVICE PARTS

## Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



## FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



## POLARIS ENGINEERED DRIVE BELTS

#### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

#### **OUR INVESTMENT**

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.

## BatteryMINDer®

#### **ENSURE YOUR RIDE IS** READY WHEN YOU ARE.

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- · Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries
- · Recover older or weak batteries that would normally need to be replaced
- Charge and maintain extra backup batteries as well as those in your vehicle

NEW

2012 LEAD ACID

2830531

12 V

2AME

BC-2410: 61 cm Non-fused

RTA-2415: 61 cm Fused ring

Diagnoses battery's

failing batteries

terminal cord set with

Temperature Sensor

Quick Connector

ATS-1: Ambient

battery clip cord set with

6 at one time

Yes

- · Automatic turn-on, sleeps while keeping your batteries at full charge
- · Easy push-button selector to change battery type or time

## **BATTERY**



Extend your battery life with a BatteryMINDer® and these tips.

- 1. Store batteries in a cool. dry location.
- 2. Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
- 4. Clean your battery use a soft brush to scrub the top of the battery. Use baking soda
- Connect a BatteryMINDer\* after using your vehicle even

## **MAINTENANCE**



- 3. If your battery has a drain tube, make sure it is free
- if the vehicle is in regular use.

#### **BatteryMINDer ACCESSORIES**



#### BattervMINDer 3.7 m CABLE

PART NUMBER

**COMES WITH** 

**KEY FEATURES** 

CHARGING CURRENT

OVERCHARGE PROTECTION

BATTERY COMPATIBILITY

BATTERIES MAINTAINED

VOLTAGE

- Made with heavy-duty 16 gauge black zip cord featuring automotive SAE
- » 2830410



2012 AGM 2-AMF

2830438

12 V

2AMP

12 V Sealed AGM Lead-Acid

Non-fused battery clip cord

set with Quick Connector

Designed for high

sealed hatteries

ormance specialty AGM

#### BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- · Allows easy connection to vehicle's battery through lighter or 12/24V power port with renlaceable 15 amn fuse
- » 2830518



#### BatteryMINDer SPLITTER

- Connect two batteries simultaneously for easy battery maintenance
- Cap includes a set of ring
- » 2830409



1.5 AMP

CONVERTIBLE

2830511

12 V

1.5AMP

compensation sensor

Optional permanent mounting brackets &

(fully-insulated, aircraft

grade, 15A replaceable fus

Convertible

or bench top use

Ring terminal assembly with 15A replaceable

(installed)

screws

fuse

Battery clips

4 at one time

1510 1.5 AMP

2830404

12 V

1.5AMP

12 V Flooded (filler cap) and Sealed Maintenance-Free Batteries

temperature sensor

Battery clip cord set

with Quick Connecto

Optional permanent

Easy to use

economical

mounting tab

3.7 m power cord

Amhient

#### BattervMINDer RING TERMINAL

- Features 61 cm long 18-gauge wire
- · Plug has standard .8 cm negative and .95 cm positive
- Replaceable 15 amp in-line fuse for circuit protection
- » 2830437



#### BattervMINDer EZ CONNECT

- Allows for quick and easy connecting and disconnecting of your BattervMINDe
- Includes a set of ring

» 2830411

#### **POLARIS MAGNETIC** PARTS TRAY





POLARIS 8.4 cm TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS 30.5 cm HI-TORQUE

RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET

» BLACK • 2830436

## your lift for all your off-road vehicles » ATV/POLARIS ACE • 2830427 » SNOWMOBILE • 2830426 185 cm

82 cm

IT SECURELY

IT SAFELY

**POLARIS VEHICLE LIFT** 

• Get fast, easy access to the underside of

· Manual and pneumatic operation available · Raises vehicle up to 82 cm to make repairs

**LIFT ATTACHMENTS** 

· Add the appropriate attachment to use

» 544 kg • 2830424



Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough

to be stored in your glovebox and holds

its charge so you can count on it when

### **POLARIS X3 CREEPER**

- Three positions: flat, 45-degree angle or seated work stool
- · Helps you perform any repair with ease
- · Stay dry and warm away from cold, wet cement floors
- · Easily stores away when not in use
- » BLACK 2830429

#### **SHOP ACCESSORIES**

» 2830495



**POLARIS FLEX JUMPSTARTER** 

• 12,000 mAh capacity. Two 5V/2.1A USB

outputs, 200-lumen flashlight, and a

digital battery life monitor. Includes

charger, wall charger, and user guide

storage case, smart jumper cables, car

FLASHLIGHT

#### FIX ON THE GO | TEMPORARY COVERAGE

#### REPAIR KIT

#### Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps

UTV CV BOOT

#### UTV TRAIL **BOOT ONLY**

- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover
- » 2830526


#### » 2830527

#### ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529

contained inside cone

#### **HOW TO INSTALL**



· A quick trail side fix to increase trail time

compact durable storage

or many other storage locations

CV boot repairs, without disassembling CV axles

CV BOOT

• The flexible and durable boot material expands over a cone tool for

· Universal fit - works as a temporary fix for most powersports axles

• Easily fits in a cargo box, attached to the roll cage, in the glovebox,

unner & lower hall inints


\*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

Refer to your owner's manual for further instructions and torque specifications.


· All components fit inside the cone, and a cover is provided for

REPAIR KIT






Remove brake caliper, hub, tie rod, & Remove old boot & clean joint,



large end first. See package for



Spread silicone lube on entire cone tool. Slide boot over cone tool, joint/boot, clean sealing points 6 caliper, axle nut, tire 6 wheel. install clamps.



#### CLEAN

#### **ALL-PURPOSE CLEANER**

- Professional cleaner, which is formulated with a low pH-value.
   The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber.
   plastic and painted surfaces. The formulation is biodegradable.

#### SHINE

#### **INSTANT SHINE & DETAILER**

- The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation makes surfaces shine, works water repellant and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.
- » 500 ml 502303



## BRING IT EVERYWHERE

#### TRAILERING



#### **ALUMINUM ARCHED LOADING RAMPS**

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386

#### LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg · Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860


#### **FOLDING ALUMINUM ARCHED RAMPS**

- · Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387

#### HITCHES.

#### 3:1 HITCHES

#### **VERSATILE 3 IN 1 FUNCTIONALITY**





· Ball, pin and hook design

HOOK

• Durable, rust resistant steel with black powdercoated finish



#### HITCH WITH 5 cm BALL

- » 5 cm x 5 cm RECEIVER
- » 3 cm x 3 cm RECEIVER 2830523



- 4.8 cm replacement hall for hitch.
- · Designed to work with 3:1 Hitch
- » 2830524

Removable ball

• HD 1.6 cm pin and clip



#### RECEIVER HITCH

2875320 » FRONT HITCH RECEIVER 2878846

» 5 cm RECEIVER TONGUE



1.9 cm SHANK

- » 4.8 cm BALL 2877602
- » 5 cm BALL 2877603

### STRAPS & ROPES



#### RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)
- · Comes with carry bag
- » 2884033



#### RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- · Heavy duty webbing, floating D-rings,
- 4536 kg maximum load, 1497 kg working load
- » 2884032



RATCHET STRAP

· Heavy duty webbing

• 2495 kg maximum load, 831 kg working load

• 3.8 cm x 4.6 m straps, 2 Pack

#### SHOCK STRAPS

- 3.8 cm 1361 kg breaking strength
- · Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295

#### **COVERS**



#### TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841 POLARIS GENERAL 1000 '16-20
- » 4-SEAT 2881787
- POLARIS GENERAL 4 1000 '17-20



#### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



### **COOLING SHIRTS**



RIDING JERSEYS & GLOVES







BOLD TECHNICAL **GEAR** TO **INSPIRE EVERY ADVENTURE** 

### **LAYERING**



Cooling fabric designed with sun protection in mind. Our chemical-free fabric

attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest

WOMEN'S GRAY/PURPLE MEN'S GRAY/BLUE S-3XL | 2860549 S-3XL | 2860548 S-3XL | 2868512 MEN'S TRAIL MID-LAYER S-3XL NAVY | 2860552 **GRAY** | 2869925 · Wind blocking layer on chest

· 280 grams of breathable fleece

SHORT SLEEVE COOLING SHIRTS

WOMEN'S

S-3XL | 2860636

MEN'S

S-3XL | 2860634

#### TENACITY HELMET

#### ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

#### SHELL

WEIGHT

• 1450 grams

#### **FEATURES** · Injection-molded plastic

- · Stay cool when pushing the limits with oversized mouth intake and top yents with six rear exits
- Stay warm on cold days with optional breath deflect or insert (sold separately)
- · Removable, machine-washable liner keeps
- things fresh ride after ride
- DOT- and ECE 22.05-approved





XS-2XL | 2868619

XS-2XL | 2868621

XS-2XL | **2868622** 

XS-2XL | **2868620** 

XS-2XL | 2868624



# POLARIS

### **TEKVEST®**

VISIT POLARIS.COM FOR TEKVEST® SIZING



TEKVEST® SUPERSOFT S-3XL | 2862190

- Zip-off fleece collar diffuses rising body heat to reduce fogging
- Large arm openings for unrestricted movement
- Drop-tail design for extended coverage
- 2-stage pockets



TEKVEST® FREESTYLE

S-3XL | 2862189

- Strong, protective ultra high molecular
- weight panels cover shoulders · Front and rear mesh panels promote
- cooling airflow · Large arm openings for unrestricted
- · Use off-roading and/or snowmobiling



**TEKVEST® SHOULDER PADS** 

#### S-3XL | 2862192

- Strong and protective Ultra High
- Molecular Weight Polyethylene
- Adjustable bicep strap • Quick-attach design for installation or removal in seconds
- S-3XL | 2862191 · Adjustable side straps and arm straps

TEKVEST® YOUTH

• Strong, protective ultra high molecular weight panels cover shoulders Large arm openings for unrestricted

#### 509<sup>®</sup> ALTITUDE HELMET

#### STYLISH, LIGHTWEIGHT HELMET WITH 509° FIT AND FINISH

#### SHELL

· Thermoplastic poly alloy outer shell

ORANGE

S-4XL | 2867818

#### WEIGHT

· 1260 grams

#### FEATURES

• Revolutionary neck brace-ready shell profile

BLUE

S-4XL | **2867820** 

- Specially designed expanded polyurethane chin insert
- · Eight intake/exhaust vents
- · Universal camera mount included
- · Removable breath box included
- Three outer shell molds across eight sizes for excellent fit
- DOT- and ECE 22.05-approved



#### 509 ALTITUDE CARBON HELMET

#### DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

#### SHELL

- · Full carbon fiber shell
- WEIGHT
- · 1100 grams

#### **FEATURES**

- Fidlock® magnetic chin strap
- technology, easy-on/off technology Revolutionary neck brace-ready
- shell profile
- · Removable breath box included · Universal camera mount included
- - DOT- and ECE 22.05-approved
- - · Three outer shell molds across eight

RED

S-4XL | 2867819

- Eight intake /exhaust vent ports • Fully convertible for winter and
- sizes for excellent fit
  - **CARBON GLOSS**

#### S-4XL | **2867815**

GRAY

S-4XL | 2867817

#### **GOGGLES**

#### KINGPIN 509 DIRT GOGGLE

#### PREMIUM MATERIALS, ATTRACTIVE PRICE

- FEATURES
- · Oversized spherical lens delivers optimal peripheral vision
- Metal tear off posts provide strength and durability
- Quick-Change technology allows you to run the best lens tint for conditions



**CARBON MATTE** 

S-4XL | **2867814** 

S-4XL | **2868539** 









ORANGE

BLACK







FLANNEL JACKET

CHARCOAL S-3XL | 2860865



#### SOFTSHELL JACKET

S-3XL | 2869920

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- DWR prevents precipitation from saturating the jacket's exterior
- · Three external and one internal pocket
- · Lined with 280 grams of soft fleece for warmth
- Removable hood and underarm venting



S-3XL | 2860547

S-3XL | 2869918 S-3XL | 2869919

BLACK/LIME S-3XL | 2860544

#### NEW

#### FLANNEL JACKET

Stylish and warm flannel shirt/jacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

#### Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- · One internal pocket with zip closure



BRONZE S-3XL | 2860864

#### NEW **WORK JACKET**

This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

#### External features:

- · Superior Durable Water Repellent (DWR) treatment provides water-resistance in the elements
  • Four external pockets for maximum gear storage
- · Customized fit with Velcro® wrist closure cuffs

#### Internal features:

- 80 gram 3M° Thinsulate for warmth on chilly days
- Built in action back provides comfortable movement and increased range of motion
- Internal zipper pocket
- Brushed flannel trim

**WORK JACKET** 

S-3XL | 2860863

GREEN S-3XL | 2860862

## **OUTERWEAR BUILT TO WORK HARD**

S-3XL | 2869921

**8 PLAY HARD** 

## **RAIN SUIT**



RAIN JACKET GRAY S-3XL | 2869527

RAIN PANTS S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- · YKK° Zippers
- · Rain iacket has removable hood


### LIFESTYLE







MEN'S GRAY | 2869536





### **CAPS**



NEW CAMO TRUCKER HAT One-Size BLACK | 2860613

PINK | 2860614

PATCH TRUCKER HAT

One-Size

BLACK | 2860597

NAVY | 2860598



PATCH CORE HAT BLACK S/M | 2868579 BLACK L/XL | 2868580 NAVY S/M | 2868581 NAVY L/XL | 2868582

GRAY/RED | 2869542

GRAY/BLUE | 2869543



DASH SNAPBACK HAT One-Size

BLACK | 2860595 GRAY | 2860596



**GRAY** | 2868767

**CORE SNAPBACK HAT** One-Size

BLACK | 2867762 NAVY | 2869544



RETRO TRUCKER HAT KNIT PATCH BEANIE One-Size One-Size

BLACK | 2860601 **GRAY** | 2860602



FLEECE REVERSIBLE BEANIE One-Size CAMO/GRAY | 2868648 CAMO/BLAZE ORANGE | 2867756

## **GIFTS & BRANDED MERCHANDISE**





POLARIS FLASK



WHISKEY ROCKS

2860813

POLARIS WOODEN COASTERS WITH **BOTTLE OPENER** 



BEER FLIGHT SAMPLER



BOTTLE OPENER 2860818

2860812

2860814

(Set of 2) 2860815

CREDIT CARD

## RECREATION/GARAGE



CARD DECK

2860816





PREMIUM COOZIE 2860829



18 OZ STEEL CAMO WATER BOTTLE 2867962





**OLIVE** | 2860837

NEW AN=W MEN'S CAMO TEE **WOMEN'S CAMO TEE** GRAY | 2860709 BLACK | 2860836

OMBINATION



CAMO HOODIE WOMEN'S | 2867898 MEN'S | 2867879

**HUNTER CAMO HOODIE** S-3XL

**OLIVE** | 2868716 **GRAY** | 2860728



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



POLARIS STEEL SIGN (35.6 cm x 91.4 cm) 2860868



POLARIS ALUMINUM SIGN (56 cm) 2860867

**CAMO** 

CAMO POLY HOODIE

S-3XL BLACK | 2860718

**EMILTER** 

BLACK | 2860710



